

BOSTIK PU 39 BAT GREY
Supersedes Date: 01-Dec-2016

Revision Date 01-Dec-2016
Version 1

1.1. Product Identifier

Product Name BOSTIK PU 39 BAT GREY
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik SA
Immeuble "Le Jade"
253 Avenue du President Wilson
93211 La Plaine Saint Denis
France
Tel: +33 (0)1 55 99 90 00
Fax: +33 (0)1 55 99 90 01

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone No information available

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation	Category 1A - (H317)
---------------------------	----------------------

Unknown acute toxicity	5 % of the mixture consists of ingredient(s) of unknown toxicity
Unknown aquatic toxicity	Contains 0 % of components with unknown hazards to the aquatic environment

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains : Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate / 3-((5-(3-(Dodecanoyloxy)-2,2-dimethylpropylideneamino)-1,3,3-trimethylcyclohexyl)methylimino)-2,2-dimethylpropyl dodecanoate



Safety Data Sheet

BOSTIK PU 39 BAT GREY
Supercedes Date: 01-Dec-2016

Revision Date 01-Dec-2016
Version 1

Signal Word
WARNING

Hazard statements

H317 - May cause an allergic skin reaction
EUH204 - Contains isocyanates. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P103 - Read label before use
P102 - Keep out of reach of children
P280 - Wear protective gloves
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P101 - If medical advice is needed, have product container or label at hand
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

General Hazards

No information available.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	EC No	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Urea, N,N'-(methylenedi-4,1-phenylene)bis[N'-butyl-	416-600-4	77703-56-1	1 - <5	Aquatic Chronic 4 (H413)		No Data Available
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	-	--	0.1- <1	Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		01-2119491304-40 -XXXX
3-((5-(3-(Dodecanoyloxy)-2,2-dimethylpropylideneamino)-1,3,3-trimethylcyclohexyl)methylimino)-2,2-dimethylpropyl dodecanoate	-	932742-30-8	0.1- <1	Skin Sens. 1B (H317) Aquatic Chronic 3 (H412)		01-2119442290-50 -xxxx

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

Safety Data Sheet

BOSTIK PU 39 BAT GREY
Supercedes Date: 01-Dec-2016

Revision Date 01-Dec-2016
Version 1

4.1. Description of first aid measures

Inhalation	Remove to fresh air.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation, especially in confined areas.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Safety Data Sheet

BOSTIK PU 39 BAT GREY
Supercedes Date: 01-Dec-2016

Revision Date 01-Dec-2016
Version 1

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection Tight sealing safety goggles.

Skin and Body Protection Suitable protective clothing.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Paste
Colour	White
Odour	Odourless
Odour Threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point/freezing point	No information available	
Boiling Point	No information available	
Flash Point	> 150 °C / > 302 °F	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		Not applicable for liquids

Safety Data Sheet

BOSTIK PU 39 BAT GREY
Supersedes Date: 01-Dec-2016

Revision Date 01-Dec-2016
Version 1

Upper Flammability Limit	No information available
Lower Flammability Limit	No information available
Vapour Pressure	No information available
Vapour Density	No information available
Specific Gravity	No information available
Water Solubility	Insoluble in water
Solubility in Other Solvents	No information available
Partition Coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Explosive Properties	No information available
Explosive Limits	No information available
Upper	No information available
Lower	No information available
Oxidising Properties	No information available
Kinematic Viscosity	No information available
Dynamic Viscosity	No information available

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
Solvent content (%)	No information available
Solid content (%)	No information available
Density	1.36 g/cm ³
Bulk Density	No Data Available
VOC content (%)	

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Safety Data Sheet

BOSTIK PU 39 BAT GREY
Supercedes Date: 01-Dec-2016

Revision Date 01-Dec-2016
Version 1

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation	No Data Available.
Eye contact	No Data Available.
Skin Contact	No Data Available.
Ingestion	No Data Available.
Sensitisation	No Data Available.

Skin Corrosion/Irritation Not applicable.

Serious eye damage/eye irritation Not applicable.

Sensitisation Not applicable.

Germ Cell Mutagenicity Not applicable.

Carcinogenicity Not applicable.

Reproductive Toxicity No information available.

STOT - Single Exposure No information available.

STOT - Repeated Exposure No information available.

Aspiration Hazard No information available.

Numerical measures of toxicity

Acute Toxicity

Unknown acute toxicity 5 % of the mixture consists of ingredient(s) of unknown toxicity.

5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).

5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

Toxicity Data

Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
3-((5-(3-(Dodecanoyloxy)-2,2-dimethylpropylideneamino)-1,3,3-trimethylcyclohexyl)methylimino)-2,2-dimethylpropyl dodecanoate 932742-30-8	LD50 >2000 mg/Kg Rat	LD50 >2000 mg/Kg Rat	-
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate --	LD50 = 3230 mg/Kg (Rat)	LD50 >3170 mg/Kg (Rat)	-

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Safety Data Sheet

BOSTIK PU 39 BAT GREY
Supersedes Date: 01-Dec-2016

Revision Date 01-Dec-2016
Version 1

Ecotoxicity No information available

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Urea, N,N''-(methylenedi-4,1-phenylene)bis[N'-butyl-77703-56-1	EC50 (72h) >100 mg/L Algae (Raphidocelis subcapitata)	LC50 (96h)>250 mg/L Fish (Brachydanio rerio)	EC50 (48h) >100 mg/L Daphnia magna	
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate --	-	LC50 (96h) =0.9 mg/L	-	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances

Section 14: TRANSPORTATION INFORMATION

ADR

14.1 UN/ID no Not regulated

14.2 Proper Shipping Name Not regulated

Safety Data Sheet

BOSTIK PU 39 BAT GREY
Supercedes Date: 01-Dec-2016

Revision Date 01-Dec-2016
Version 1

14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

ICAO (air)

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

IATA

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Safety Data Sheet

BOSTIK PU 39 BAT GREY
Supercedes Date: 01-Dec-2016

Revision Date 01-Dec-2016
Version 1

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

France

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H413 - May cause long lasting harmful effects to aquatic life

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

*

Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

STOT (RE): Specific target organ toxicity - Repeated exposure

STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Safety Data Sheet

BOSTIK PU 39 BAT GREY
Supersedes Date: 01-Dec-2016

Revision Date 01-Dec-2016
Version 1

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 01-Dec-2016

Indication of changes

Revision Note Not applicable.

Training Advice No information available

Additional information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet