













**TEHNISKIE DATI**

TECHNICAL PARAMETERS / TECHNISCHE PARAMETER / ТЕХНИЧЕСКИЕ ДАННЫЕ / TECHNIQUE PARAMÈTRES

TEHNISKIE DATI	Standarts	Vienība	Lielums
TECHNICAL PARAMETERS	Norm	Unit	Value
TECHNISCHE PARAMETER	Norme	Einheit	Wert
ТЕХНИЧЕСКИЕ ДАННЫЕ	Стандарт	Единица	Значение
TECHNIQUE PARAMÈTRES	Norme	Unité	Valeur
<b>Plankas izmēri</b> Plank size / Planke-Dimension / Размер планки / Dimension de la planche	 EN ISO 24342	mm	900 × 150 1 200 × 180 1 829 × 180
<b>Flīzes izmēri</b> Tile size / Fliese-Dimension / Размер плитки / Dimension du carreau	 EN ISO 24342	mm	900 × 300 450 × 450
<b>Plankas malu perpendikularitāte</b> Plank Squareness / Planke-Rechtwinkligkeit / Orthogonalité de la planche	 EN ISO 24342	mm	(≤ 0,35 × ≤ 0,25)
<b>Flīzes malu perpendikularitāte</b> Tile Squareness / Fliese-Rechtwinkligkeit / Прямоугольность плитки / Orthogonalité du carreau	 EN ISO 24342	mm	≤ 0,25 (900 × 300) ≤ 0,35 (450 × 450)
<b>Paliekošā deformācija</b> Residual indentation / Resteindruck / Остаточная деформация / Déformation permanente	 EN ISO 24343-1	mm	≤ 0,1
<b>Izmēru stabilitāte</b> Dimensional stability / Dimensionsstabilität / Постоянство размеров / Stabilité des dimensions	 EN ISO 23999	%	≤ 0,25
<b>Krāsas noturība</b> Colour fastness to artificial light / Lichtechtheit / Светостойкость / Teinte de la couleur à la lumière artificielle	 EN ISO 105-B02 (method 3)	Klase degree / Grad / Класс / degré	min. 6
<b>Elastība</b> Flexibility / Flexibilität / Гибкость / Souplesse	 ISO 24344 method A	Ø Diametrs (mm) Ø Mandrel(mm) Ø Kerndurchmesser (mm) Ø диаметр (MM) Ø Calibre initial (mm)	20
<b>Ugunsreakcijas klase</b> Flammability / Brandverhalten / Горючесть / Inflammabilité	 EN 13501 - 1	Klase degree Grad/ Класс degré	B B-S1
<b>Slīdes pretestība</b> Anti-slipping / Rutschfestigkeit / Противоскользкие характеристики / Anti dégarant	 EN 14041 DIN 51130	–	DS R 11
<b>Riteņkrēsla pretestība</b> Castor chair resistance Stuhlirollenbeanspruchung / Устойчивость к роликовым стульям / Résistance aux sièges sur roulettes	 EN 425	–	Atbilst meets / entspricht / соответствует / convientà
<b>Siltas grīdas</b> Floor heating / Flusbodenheizung / Для полов с подогревом / Chauffage au sol	 -	–	Atbilst meets / entspricht / соответствует / convientà
<b>Siltuma vadītspēja</b> Thermal conduction / Wärmeleitfähigkeit / Теплопроводность / Conductivité thermique	ČSN EN 14041	W/(m.K)	0,17
<b>O</b> Resistance to bacteria / Bakterienbeständigkeit / Стойкость к бактериям / Résistance aux bactéries	EN ISO 846	–	Atbilst meets / entspricht / соответствует / convientà
<b>GOS emisija</b>			Atbilst meets / entspricht / соответствует / convientà
<b>Formaldehīdu emisija</b> Formaldehyde emission / Formaldehydemissionen/ эмиссия формальдегида / Emission de formaldéhyde	EN 14041		E1

**IĒPAKOJUMS UN TEHNISKIE DATI**

 PACKING AND TECHNICAL PARAMETERS / VERPACKUNG UND TECHNISCHE PARAMETER / УПАКОВКА  
И ТЕХНИЧЕСКИЕ ДАННЫЕ / EMBALLAGE ET TECHNIQUE PARAMÈTRES

Izmēri (mm)	900 x 150 Imperio		1 200 x 180 Thermofix WOOD		1 829 x 180 Thermofix ART		450 x 450 Thermofix STONE/TEXTILE		900 x 300 Thermofix STONE/TEXTILE	
Dimension (mm)										
AusmaSS (mm)										
Размер (MM)										
Dimension (mm)										
<b>Biezums (mm)</b>										
Thickness (mm)										
Gesamtdicke (mm)	1,5	2,2 <sub>1)</sub>	2,0	2,5 <sub>1)</sub>	2,2 <sub>2)</sub>	2,0	2,5 <sub>1)</sub>	2,0	2,5 <sub>1)</sub>	
Толщина (MM)										
Épaisseur (mm)										
<b>Nodilumslāņa biezums (mm)</b>										
Wear layer thickness (mm)										
Nutzschichtdicke (mm)	0,3	0,55	0,4	0,8	0,6	0,4	0,8	0,4	0,8	
Толщина ходового слоя (MM)										
Épaisseur de la couche d'usure (mm)										
<b>Svars uz kvadrātmētru (kg/m<sup>2</sup>)</b>										
Area weight (kg/m <sup>2</sup> )										
Flächengewicht (kg/m <sup>2</sup> )	2,2	3,2	3,0	3,6	3,2	3,0	3,6	3,0	3,6	
Масса единицы площади (кг / м <sup>2</sup> )										
Total du poids à la superficie (kg/m <sup>2</sup> )										
<b>Skaits iepakojumā</b>										
Piece number in cardboard box										
Stückzahl im Karton	32	30	20	16	12	24	20	16	12	
количество штук в коробке										
Nombre de pièces dans le carton										
<b>Iepakojuma svars (kg)</b>										
Informative volume of cardboard box (kg)										
Kartongewicht informatik (kg)	10,0	13,5	13,5	13,0	15,0	16,5	16,0	13,8	12,5	
примерный вес коробки (Kg)										
Poids indicatif carton (kg)										
<b>Daudzums iepakojumā (m<sup>2</sup>)</b>										
Volume in card-board box (m <sup>2</sup> )										
Anzahl im Karton (m <sup>2</sup> )	4,32	4,05	4,32	3,46	3,95	4,86	4,05	4,32	3,24	
количество в коробке (M <sup>2</sup> )										
Quantité dans le carton (m <sup>2</sup> )										
<b>Pielietojuma sfēra</b>										
Areas of application		21–23	21–23	21–23	21–23	21–23	21–23	21–23	21–23	
Anwendungsbereich	21–23	31–33	31–32	31–34	31–33	31–32	31–34	31–32	31–34	
Область применения		41–42	41	41–43	41–42	41	41–43	41	41–43	
Espaces d'application										

**1) Ar fāzīti – izgatavošana tikai pēc pasūtījuma**

Beveled edge - build-to-order / Die abgeschrägte Kante - Auftragsproduktion / С фаской - Производство по заказу / Bord biseauté - production à la commande

**2) Ar fāzīti**
